

MAYWOOD  STUDIO

# Curio Cabinet Quilt




**Curio Cabinet Quilt by Maywood Studio**  
featuring the Curio Cabinet Collection by Maywood Studio

64" x 72"

#madewithmaywood  
maywoodstudio.com



# MAYWOOD STUDIO



Fabric 1  
10138-EZ




Fabric 2  
10137-JE



Fabric 3  
10134-R



Fabric 4  
10135-B



Fabric 5  
10131-J



Fabric 6  
10132-E




Fabric 7  
10136-RK

## Fabric Requirements

|          |                |                         |
|----------|----------------|-------------------------|
| Fabric 1 | 10138-EZ       | 1/2 yard                |
| Fabric 2 | 10137-JE       | 1/2 yard                |
| Fabric 3 | 10134-R        | 1 yard                  |
| Fabric 4 | 10135-B        | 5/8 yard                |
| Fabric 5 | 10131-J        | 3/4 yard<br>*16 circles |
| Fabric 6 | 10132-E        | 2-1/4 yard              |
| Fabric 7 | 10136-RK       | 1/2 yard                |
|          |                |                         |
| Backing  | 108" wide back | 2-1/4 yards             |
|          | or 44/45" wide | 4-1/4 yards             |

### Additional Supplies:

- fabric marking tool
- fabric scissors
- needle and thread
- card stock for printing



Block is 10" x 12" finished  
Make 16

## Cutting

Finished Size 64" x 72"

### Fabric 1

Cut (1) 3" x WOF strip. Subcut into:

A: (16) 3" squares

Cut (1) 8.5" x WOF strips. Subcut into:

B: (16) 2-1/2" x 8-1/2" rectangles

### Fabric 2

Cut (1) 3" x WOF strip. Subcut into:

C: (8) 3" squares

Cut (1) 10-1/2" x WOF strips. Subcut into:

D: (16) 2-1/2" x 10-1/2" rectangles

### Fabric 3

Cut (4) 8-1/2" x WOF strips. Subcut into:

E: (16) 8-1/2" x 10-1/2" rectangles

### Fabric 4

Cut (12) 1-1/2" x WOF strips.

From 4 strips cut

F: (12) 1-1/2" x 12-1/2" rectangles

Sew the remaining strips together end to end. Subcut into:

(3) 1-1/2" x 43-1/2" strips (sashing)

(2) 1-1/2" x 51-1/2" strips (inner side borders)

(2) 1-1/2" x 45-1/2" strips (top & bottom sashing)

### Fabric 5

Cut (16) 6-1/2" Circles

### Fabric 6 Border Strips

Cut LOF

Sides: Cut (2) 9-3/4" x 77" rectangles

Top & Bottom: Cut (2) 9-3/4" x 69" rectangles

### Fabric 7

Binding

Cut (7) strips 2-1/4" x WOF

WOF - Width of Fabric

LOF - Length of Fabric

RST - Right Sides Together

HST - Half Square Triangle

## Curio Cabinet Quilt Instructions

Please read all instructions before you begin. Seam allowance is 1/4" unless otherwise stated. Fabric is abbreviated as 'F'. For example, F1 refers to Fabric 1. Press in the direction of arrows. Use a light sizing or starch on pieces to help prevent stretching along the diagonal edges. Use the ☐ check boxes to mark each step as you complete it.

### HST (Half Square Triangle) units

Gather (8) F1-A squares, (8) F2-C squares.



- ☐ 1. Mark a diagonal line from corner to corner on the wrong side of the F1-A squares.
- ☐ 2. Place the A square, RST over a F2-C square. Sew 1/4" away from the marked line on either side.
- ☐ 3. Cut on the original marked line creating 2 pieces. Press HST units towards F2. Square to 2-1/2".

Make 8 for a total of 16 HST units.

### Blocks

Gather (16) F2-D rectangles, (16) F3-E rectangles, (16) F1-B rectangles.


- ☐ 4. Sew a HST unit to the end of a F2-D rectangle. Press. Make 16.
- ☐ 5. Sew a F1-B rectangle to a F3-E rectangle. Press. Make 16.
- ☐ 6. Sew the Step 4 unit to the left side of the step 5 unit. Press. Make 16.




## Applique

Gather Fabric 5 and the 6" circle template p. 8.

- ❑ 7. Cut out the circle template.
- ❑ 8. Pin the circle template to F-5 and mark a line 1/4" away from the edge of the template. Your circles will measure 6-1/2".
- ❑ 9. Pin the template to the wrong side of the fabric.
- ❑ 10. With needle and thread, sew a running stitch around the perimeter of the circle. Do not remove the template.
- ❑ 11. Gently pull the stitches to gather the seam allowance. Remove the template. Press flat.
- ❑ 12. Pin the circle to the block as illustrated. Place approximately 1" of the circle in the lower section. Sew the circle to the blocks using your preferred hand-sewing or machine stitch. Make 16.



Step 8 - Make 16



Step 11


## Sew the Rows

Gather (12) F4-F rectangles


- ❑ 13. Lay out (4) rows of (4) blocks and (3) F4-F rectangles. Sew into rows.
- ❑ 14. Sew the blocks into 4 rows of 4. Press towards F4.



Step 12




Steps 13-14



## Quilt Top and Finishing

*Gather the F4- sashing and border strips.*




- ❑ 15. Sew F4 sashing strips between each row. Press towards sashing.
- ❑ 16. Sew the F4 inner borders to the sides of the quilt. Press toward borders.
- ❑ 17. Sew the F4 inner borders to the top and bottom of the quilt. Press toward borders.
- ❑ 18. Sew the outer borders. Follow the instructions on p.7.





- ❑ 19. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
- ❑ 20. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

## Mitered Borders

- ❑ 1. Mark the centers of each side of the quilt top with a pin.
- ❑ 2. Mark the centers of the border strips with a pin.
- ❑ 3. Match the centers of the border strips to the sides of the quilt and pin, RST. Sew together, starting and stopping 1/4" away from the edges of the quilt top. Backstitch to secure. Press seams toward borders.
- ❑ 4. Repeat to sew the top and bottom border strips to the quilt top.



- ❑ 5. Fold each border end back at a 45 degree and press, creating a crisp crease.



- ❑ 6. Fold the quilt on a diagonal, RST. Line up the raw edges of the border strips and pin in place along the crease. Stitch together on the crease, stopping at the 1/4" seam. Backstitch to secure. Double check that your corner lays flat when you open it up. Trim seam allowance to 1/4" and press open.

## Curio Cabinet 6" Circle Template

Print this template at 100%. For best results print on cardstock.  
Measure the 1" test square before cutting. Cut on the solid lines.  
Follow the applique instructions on p.5 of this pattern.

